

# **DESVENLAFAXINE** (PRISTIQ)

## Provider Tip Sheet

### DOSING INFORMATION

Week 1: Obtain blood pressure and weight. Consider BMP for baseline sodium in older adults. Start: 50 mg qday. Initial Target and Typical Dose: 50 mg qday. Max Dose: No evidence of additional benefit for doses greater than 50 mg. Discontinuation: Gradual rather than abrupt discontinuation. Reduce dose to 25mg po daily for duration depending on length of treatment, need to reduce risk of relapse, and need to minimize withdrawal symptoms.

### **MONITORING**

• Blood pressure, weight. Consider posttreatment BMP to rule out hyponatremia in older adults.

#### **GENERAL INFORMATION**

- Mechanism of Action: Serotonin/Norepinephrine Reuptake Inhibitor (SNRI).
- FDA Indications: MDD.
- Off-Label Indications: None.
- Pharmacokinetics: T½ = 11 hr. Common Side effects (MDD): Nausea (22%), dizziness (13%), hyperhidrosis (10%), insomnia (9%), constipation (9%), decreased appetite (5%), specific male sexual function disorders (4%).
- Black Box Warning: Increased SI in patients < 25 y/o. Contraindications: Use of a MAOI within 7 days of stopping Pristiq, concurrent use of a MAOI including drugs with significant MAOI activity (e.g., linezolid), or use of Pristiq within 14 days of stopping a MAOI.
- Warnings and Precautions: Clinical worsening/suicide risk, serotonin symptoms or NMS, elevated blood pressure, abnormal bleeding, narrow angle glaucoma, hypomanic/manic switch, discontinuation syndrome, seizure, hyponatremia, interstitial lung disease and eosinophilic pneumonia.
- Metabolism/Pharmacogenomics: Primarily metabolized by conjugation. Minor metabolism by 3A4. Significant drug-drug interactions: Minimal; potential for abnormal bleeding with NSAIDs or anticoagulants; check all drug-drug interactions before prescribing.
- Dosage Form: Tablet (Do not cut, crush or chew). Generic available: Yes.

## Support

We are committed to the care and well-being of our members. We are also committed to working with you as a partner to develop the best possible treatment plans for all patients.

Please view the Provider section of our website at **ambetterofnorthcarolina.com** for additional tools and resources. You may also contact your Provider Engagement Administrator directly, or contact Provider Relations for assistance at **1-833-863-1310**.