

ESCITALOPRAM (LEXAPRO) Provider Tip Sheet

DOSING INFORMATION

- Week 1: Baseline weight. Consider BMP for baseline sodium in older adults). Start: 5 mg qday.
- Week 2: Increase dose to an Initial Target Dosage of 10 mg qday, if tolerated. Typical Dosage Range: 10-20 mg qday. Max: 20 mg qday. Discontinuation: 25% per week to 25% per month depending on length of treatment in order to minimize withdrawal symptoms and relapse.

MONITORING

• Weight. Consider posttreatment BMP to rule out hyponatremia in older adults.

GENERAL INFORMATION

- Mechanism of Action: Highly selective serotonin reuptake inhibitor; S-enantiomer of the racemic derivative of citalopram.
- FDA Indications: MDD (acute and maintenance), GAD.
- Off-Label Indications: Other anxiety disorders.
- Pharmacokinetics: $T^{1/2} = 27-32$ hrs.
- Common Side effects (MDD): nausea (15%), ejaculation disorder (9%), insomnia (9%), somnolence (6%), fatigue (5%), sweating increased (5%).
- Black Box Warning: Increased SI in patients < 25 y/o. Contraindications: Use of a MAOI within 14 days of stopping escitalopram, concurrent use of a MAOI including drugs with significant MAOI activity (e.g., linezolid), or use of escitalopram within 14 days of stopping a MAOI. Concomitant use with pimozide.
- Warnings and Precautions: Clinical worsening and suicide risk, serotonin syndrome, discontinuation symptoms, seizures, hypomanic/manic switch, hyponatremia, abnormal bleeding.
- Metabolism/Pharmacogenomics: Primarily metabolized by 2C19 & 3A4. Significant drug-drug interactions: Weak 2D6 inhibitor; Use caution when coadministered with drugs metabolized by 2D6. Check all drug-drug interactions.
- Dosage Form: Oral solution, Tablet. Generic available: Yes.

Support

We are committed to the care and well-being of our members. We are also committed to working with you as a partner to develop the best possible treatment plans for all patients.

Please view the Provider section of our website at **ambetterofnorthcarolina.com** for additional tools and resources. You may also contact your Provider Engagement Administrator directly, or contact Provider Relations for assistance at **1-833-863-1310**.

This document is an informational resource designed to assist licensed healthcare practitioners in caring for their patients. Healthcare practitioners should use their professional judgment in using the information provided. Escitalopram (Lexapro) measures are not a substitute for the care provided by licensed healthcare practitioners and patients are urged to consult with their healthcare practitioner for appropriate treatment.